



Primary



Big Twin Primary Drive Locking Tool is used as a wedge type device to hold the

primary drive gear while the proper torque is applied without damaging the primary gear. Constructed of nylon, OEM# 41214.
VT No. 16-0650



Primary Drive Aligning Fixture will align teeth on clutch shell with motor sprocket. Fits Ev.
VT No. 16-0203



Clutch Adjusting Gauges are used to find the correct distance between the outer drive plate and

outer releasing disc for 1971-83 Sportsters, 1936-67 early and 1968-84 late Big Twins. Set of 3 tools
VT No. 16-1807



Ratchet Plate Riveting Fixture securely aligns plate to drum while setting rivets on 1971-79 XL model clutch drum.
VT No. 16-0165



Primary Plug Wrenches for Sportster models.


VT No.	OEM	Years
16-0158		1971-84
16-0985*	33186	1971-up
8862-1	Evo	1986-up

*Note: Uses 3/8 socket handle



1971-85 XL Clutch Adjust Tool.
VT No. 16-0123

Chain



Chain Riveting Tool and Chain Breaker.

VT No.	#	Item
16-1740	A	Breaker
16-1741	B	Riveting Tool Set
16-0201	B	Riveting Tool Set (V-Twin)




Small Chain Breaker replaces 12039X.
VT No. 16-0144



Standard Chain Puller eliminates the annoyances of installing the master link in rear chain.

Conveniently pulls chain halves together without loosening at rear wheel. Fits all sizes.

VT No. 16-0611



Diamond Chain Breaker is excellent for cutting 530 heavy chain.

VT No.	Item
16-0255	Breaker Complete
16-0950	Replacement Tip



Chain Puller Tool.
VT No. 16-1615



Link Press Tool presses the side plates on all 530 O-Ring Chains.
VT No. 16-1729




Wheel Bearing Wrench removes the slotted lock nut on spoke wheels. Sportster and 1967-72 Big Twins. Replaces 94630-67.

VT No.	Type
16-0155	V-Twin with Handle
16-0657	Jims with 1/2" Drive

Snap Ring Pliers



Snap Ring Pliers are specially designed with long reach fingers for use on master cylinders.
VT No. 16-0788



Internal/External Retaining Ring Pliers will remove and install the main drive gear bearing retaining rings for 1980 and later 5-speeds. Included are six pairs of color coded steel tips in sizes .090, .108 and .120 bent 15° and 90° with hex wrench in plastic pouch. External ring size range is 1 1/2"-4", internal ring size is 1 13/16"-4".

VT No. 16-0689